

**GOVERNMENT OF HIMACHAL PRADESH  
HIMACHAL PRADESH STATE ROAD TRANSFORMATION PROJECT**

RFQ Reference No.: IN-HPRIDC - 487762-GO-RFQ, Dated 26/04/2025

Bid Title- Procurement of Accessories and Fabrication of Patrol Vehicle 4WD to Support Annual Enforcement Program of HP Police

In supersession to corrigendum 1 issued for subject cited procurement, the Corrigendum -1 has been revised as under:

**Revised Corrigendum-1**


Sl. No.	RFQ Section Clause	Existing Clause			To be read as		
1	Item No 1. Beacon Light, 1.2 Technical Specifications, Page-12 of RFQ	Item No	Name of Goods or Related Service	Technical Specifications and Standards- Minimum requirements	Item No	Name of Goods or Related Service	Technical Specifications and Standards- Minimum requirements
		1	Beacon light	LED Dc 12v/24v Ess One 17 Police Light	1	LED Light Bar	1) Input Voltage: 12V - 13.8V.DC. Light Source 10- Module of 6 Power LED With Big Lenses. a) White: 4 Module. (2 in front & 2 in Back) b) Red: 3 Module. (1 in front, 1 in back & 1 in side) c) Blue: 3 Module. (1 in front, 1 in back & 1 in side) 6) Light Patterns a) Night Mode b) Full Flash (Full LED Module Right Side & Left side Flash Alternately) c) Separate colour flash alternately in sequence. d) Revolving Mode: Both Side revolves separately. 7) Speakers: Two Speakers 40 W each (driver Units) are fitted in the middle of Light Bar covered with stainless steel cover

Item No 2. PA System, 1.2 Technical Specificati ons, Page- 12 of RFQ	<table><tr><th>Item No</th><th>Name of Goods or Related Service</th><th>Technical Specifications and Standards- Minimum requierments</th></tr><tr><td>2</td><td>PA System</td><td><p>SPECIFICATIONS</p><p>a) Input Voltage: DC: 12.8 V</p><p>b) Output Power: 36 Watt RMS.(Continuous Power)</p><p>c) Standby current: 20 mA</p><p>d) Operating Current: 3.0 Amp</p><p>e) Frequency response : 100 Hz to 10000 Hz (+3dB )</p><p>f) Dimension : L 170 x W 140 x H 43 (mm)</p><p>g) Net weight : 0.9 Kg</p><p>Input Channel:</p><p>a. One microphone</p><p>Siren Tone</p><p>The Amplifier with 3 Tone</p><p>a. Wail: Continue wailing up and down in frequency</p><p>b. Yelp-I: Continues rapid Wrabled tone</p><p>c. Yelp-II: Continues fast War</p></td></tr></table>	Item No	Name of Goods or Related Service	Technical Specifications and Standards- Minimum requierments	2	PA System	<p>SPECIFICATIONS</p> <p>a) Input Voltage: DC: 12.8 V</p> <p>b) Output Power: 36 Watt RMS.(Continuous Power)</p> <p>c) Standby current: 20 mA</p> <p>d) Operating Current: 3.0 Amp</p> <p>e) Frequency response : 100 Hz to 10000 Hz (+3dB )</p> <p>f) Dimension : L 170 x W 140 x H 43 (mm)</p> <p>g) Net weight : 0.9 Kg</p> <p>Input Channel:</p> <p>a. One microphone</p> <p>Siren Tone</p> <p>The Amplifier with 3 Tone</p> <p>a. Wail: Continue wailing up and down in frequency</p> <p>b. Yelp-I: Continues rapid Wrabled tone</p> <p>c. Yelp-II: Continues fast War</p>
	Item No	Name of Goods or Related Service	Technical Specifications and Standards- Minimum requierments				
2	PA System	<p>SPECIFICATIONS</p> <p>a) Input Voltage: DC: 12.8 V</p> <p>b) Output Power: 36 Watt RMS.(Continuous Power)</p> <p>c) Standby current: 20 mA</p> <p>d) Operating Current: 3.0 Amp</p> <p>e) Frequency response : 100 Hz to 10000 Hz (+3dB )</p> <p>f) Dimension : L 170 x W 140 x H 43 (mm)</p> <p>g) Net weight : 0.9 Kg</p> <p>Input Channel:</p> <p>a. One microphone</p> <p>Siren Tone</p> <p>The Amplifier with 3 Tone</p> <p>a. Wail: Continue wailing up and down in frequency</p> <p>b. Yelp-I: Continues rapid Wrabled tone</p> <p>c. Yelp-II: Continues fast War</p>					
<table><tr><th>Item No</th><th>Name of Goods or Related Service</th><th>Technical Specifications and Standards- Minimum requirements</th></tr><tr><td>2</td><td>PA System</td><td><p>SPECIFICATIONS</p><p>a) Input Voltage: DC: 12.8 V(Charged battery)</p><p>b) Output Power: 50 Watt RMS.(Continuous Power)</p><p>c) Standby Current: 150 mA</p><p>d) Operating Current: 4.5 Amp</p><p>e) Frequency Response: 100 Hz to 10000 Hz (+3dB)</p><p>f) Output Impedance: 8</p><p>g) Dimension: W181 x H58 x 180 (mm)</p><p>h) Net Weight: 1.5 Kg</p><p>INPUT CHANNELS</p><p>a) One Microphone</p><p>b) One Aux</p><p>SIREN TONES</p><p>The Amplifier has 4 Tones</p><p>a) Wail: Continues wailing up &amp; down in frequency</p><p>b) Yelp-I: Continuesrapid Warbled tone</p><p>c) Yelp-II: Continues fast Warbled tone</p><p>d) Hi - Lo: Distinctive two- tone siren</p><p>Compatible system with LED light bar</p></td></tr></table>	Item No	Name of Goods or Related Service	Technical Specifications and Standards- Minimum requirements	2	PA System	<p>SPECIFICATIONS</p> <p>a) Input Voltage: DC: 12.8 V(Charged battery)</p> <p>b) Output Power: 50 Watt RMS.(Continuous Power)</p> <p>c) Standby Current: 150 mA</p> <p>d) Operating Current: 4.5 Amp</p> <p>e) Frequency Response: 100 Hz to 10000 Hz (+3dB)</p> <p>f) Output Impedance: 8</p> <p>g) Dimension: W181 x H58 x 180 (mm)</p> <p>h) Net Weight: 1.5 Kg</p> <p>INPUT CHANNELS</p> <p>a) One Microphone</p> <p>b) One Aux</p> <p>SIREN TONES</p> <p>The Amplifier has 4 Tones</p> <p>a) Wail: Continues wailing up &amp; down in frequency</p> <p>b) Yelp-I: Continuesrapid Warbled tone</p> <p>c) Yelp-II: Continues fast Warbled tone</p> <p>d) Hi - Lo: Distinctive two- tone siren</p> <p>Compatible system with LED light bar</p>	
Item No	Name of Goods or Related Service	Technical Specifications and Standards- Minimum requirements					
2	PA System	<p>SPECIFICATIONS</p> <p>a) Input Voltage: DC: 12.8 V(Charged battery)</p> <p>b) Output Power: 50 Watt RMS.(Continuous Power)</p> <p>c) Standby Current: 150 mA</p> <p>d) Operating Current: 4.5 Amp</p> <p>e) Frequency Response: 100 Hz to 10000 Hz (+3dB)</p> <p>f) Output Impedance: 8</p> <p>g) Dimension: W181 x H58 x 180 (mm)</p> <p>h) Net Weight: 1.5 Kg</p> <p>INPUT CHANNELS</p> <p>a) One Microphone</p> <p>b) One Aux</p> <p>SIREN TONES</p> <p>The Amplifier has 4 Tones</p> <p>a) Wail: Continues wailing up &amp; down in frequency</p> <p>b) Yelp-I: Continuesrapid Warbled tone</p> <p>c) Yelp-II: Continues fast Warbled tone</p> <p>d) Hi - Lo: Distinctive two- tone siren</p> <p>Compatible system with LED light bar</p>					

3	Item No 17. Portable LED Flashligh t, 1.2 Technical Specificati ons, Page- 14 of of	<table><tr><th>Item No</th><th>Name of Goods or Related Service</th><th>Technical Specifications and Standards- Minimum requierments</th></tr><tr><td>1</td><td>Portable LEDFlashl ight</td><td>High Quality LED Light: The LED technology integrated in the anternis a uniquely developed solution by Philips. While instantly turned on, it enables an optimal light output and brings out vivid</td></tr></table>	Item No	Name of Goods or Related Service	Technical Specifications and Standards- Minimum requierments	1	Portable LEDFlashl ight	High Quality LED Light: The LED technology integrated in the anternis a uniquely developed solution by Philips. While instantly turned on, it enables an optimal light output and brings out vivid
		Item No	Name of Goods or Related Service	Technical Specifications and Standards- Minimum requierments				
1	Portable LEDFlashl ight	High Quality LED Light: The LED technology integrated in the anternis a uniquely developed solution by Philips. While instantly turned on, it enables an optimal light output and brings out vivid						
<table><tr><th>Item No</th><th>Name of Goods or Related Service</th><th>Technical Specifications and Standards- Minimum requirements</th></tr><tr><td>1</td><td>Portable LEDFlashl ight</td><td>High Quality LED Light: The LED technology integrated in the antern is a uniquely developed solution. While instantly turned on, it enables an optimal light output and brings out vivid colors in your home</td></tr></table>	Item No	Name of Goods or Related Service	Technical Specifications and Standards- Minimum requirements	1	Portable LEDFlashl ight	High Quality LED Light: The LED technology integrated in the antern is a uniquely developed solution. While instantly turned on, it enables an optimal light output and brings out vivid colors in your home		
Item No	Name of Goods or Related Service	Technical Specifications and Standards- Minimum requirements						
1	Portable LEDFlashl ight	High Quality LED Light: The LED technology integrated in the antern is a uniquely developed solution. While instantly turned on, it enables an optimal light output and brings out vivid colors in your home						



	RFQ		<p>colors in your home</p> <p>Four Lighting Modes: Comes with 4 different lighting modes i.e. High brightness headlamp, low brightness headlamp , the side lantern and SOS Flashlight just by pressing the button switch Rechargeable Battery: The Emergency Lantern comes with a highquality rechargeable battery of 3.7V,2200 mAH Lithium-Ion battery Charging &amp; Backup Time: Comes with overcharge and deep discharge protection and the lantern take up to 5 hours to completely charge and gives up to 4 hours of backup</p>		<p>Four Lighting Modes: Comes with 4 different lighting modes i.e. High brightness headlamp, low brightness headlamp, the side lantern and SOS Flashlight just by pressing the button switch Rechargeable Battery: The Emergency Lantern comes with a highquality rechargeable battery of 3.7V,2200 mAH Lithium-Ion battery Charging &amp; Backup Time: Comes with overcharge and deep discharge protection and the lantern take up to 5 hours to completely charge and gives up to 4 hours of backup</p>
4	Clause 22, Submission of Quotations, Page-7 of RFQ	22. The deadline for submission of Quotations is 16.05.2025 at 1500 hrs			22. The deadline for submission of Quotations is 22.05.2025 at 1500 hrs.

  
 Director (Projects),  
 HPRIDCL, Nirman Bhawan,  
 Nigam Vihar, Shimla-171002  
