GOVERNMENT OF HIMACHAL PRADESH

HIMACHAL PRADESH STATE ROADS TRANSFORMATION PROGRAM (HPSRTP)

Request for Bids

Tender reference no.: IN-HPRIDC - 432782- GO-RFB for "Procurement of Road Safety Enforcement Vehicles (Electric) to Support Annual Enforcement Program of HP Police in 3 Pilot districts."

CORRIGENDUM-IV

Sl.	RFB Section / Existing Clause/ Reference						To Be Read As						
No. 1.	Sl. No. 1, Corrigendum- III, Clause: ITB 30.1, G. Evaluation of Technical Parts of Bids, Section II - Bid Data Sheet (BDS)	Evalu The to	ical factors, in additation and Qualification weight "X" for is: 50%	tion to cost fa ation Criteria the Technica	onsive Bids will ta actors as specified in al features in th Eva onding weight out o	n Section III, Bid	The Purchaser's evaluation of responsive Bids will take into account technical factors, in addition to cost factors as specified in Section III, Bid Evaluation and Qualification Criteria. The total weight "X" for the Technical features in the Evaluated Bid Score is: 50%						
		SI. No.	Sl. Factors Scoring Mark No. for Evaluation Criteria	Maximum Marks	Marks System	Category Weight (%)	Sl. No.	Technical factors and Technical Factors Scoring for Evaluation Criteria	Maximum Marks	Marks System	Category Weight (%)		
		1	Claimed Driving Range - 450 Km to 550km or more	100	The marks will be given to each criteria on prorata basis i.e., Proposed Specification / Maximum Specification x Maximum allotted marks against that criteria. The marks obtained shall be limited to maximum		1	Claimed Driving Range - 450 Km to	100	The marks will be given to each criteria on pro-	10		
		2	Battery Capacity - 39.5 KWh to 60 kWh or more	100		Specification / Maximum	Specification / Maximum	10	2	550km or more Battery Capacity - 39.4 KWh to 60	100	rata basis i.e., Proposed Specification / Maximum	10
mil.		3	Boot space - 378 L to 450 L or more	100		10	3	kWh or more Boot space - 378 L to 450 L or	100	Specification x Maximum allotted marks	10		
		4	USB SLOTS - 1 Slot - 3 slots or more	100		10	4	USB SLOTS - 1 Slot - 3 slots or	against that criteria. The marks obtained shall be limited	10			
			Wheelbase - 2585 mm to	100	marks.	10		more		Shall be infilted			

Sl. No.	RFB Section / Clause	Existing Clause/ Reference					To E	To Be Read As				
			2800 mm or more			ondamasansii	5	Wheelbase - 2560 mm to 2800	100	to maximum marks.	10	
		6	Power - 150 ps to 225 ps or	100	to see this of materials	10		mm or more		i o benjerte	10	
			more				6	Power - 147 ps to 225 ps or more	100		10	
,		7	Torque - 280 Nm to 380 Nm or more	100	peak -spati	10	7	Torque - 215 Nm to 380 Nm or more	100	de Carrett Value	10	
		8	Battery safety rating - IP67 to IP69K or more	100	reprincil dell' de	10	8	Battery safety rating - IP67 to IP69K or more	100		10	
		9	Battery Warranty - 8 years to unlimited warranty (15 years assumed) or more	100		10	9	Battery Warranty - 8 years to unlimited warranty (15 years assumed) or more	100	10		
		10	Vehicle Warranty - 3 years to 5 years or more	100		5	10	Vehicle Warranty - 3 years to 5 years or more	100		5	
		11	Ground clearance - 180 mm to 210 mm or more	100		5	11	Ground clearance - 180 mm to 210 mm or more	100		5	
			Total Evaluation	100%		Total Evaluation	100 marks	100%				



il. Vo.	RFB Section / Clause	Existin	g Clause/ Reference	BF, 1100 287-55 (F	*	To Be Read As					
2.	Sl. No. 3, Corrigendum- IIII, 3. Technical Specifications, Section VII - Schedule of Requirements		oods and Related Service cations and Standards:	s shall comply w	ith following Technical	The Goods and Related Services shall comply with following Technica Specifications and Standards:					
		Item No	Name of Goods or Related Service	Technical Standards	And the state of t		Name of Goods or Related Service	Technical Specifications and Standards			
		1	Electric Vehicle (4-W heeler)	Dimensions (L*W*H) mm	4200*1821*1634 or more	1	Electric Vehicle (4-Wheeler)	Dimensions (L*W*H) mm	4200*1809*1610 or more		
				Wheelbase (mm)	2585mm or more			Wheelbase (mm)	2560mm or more		
				Tyre size	205/65 R16 or more	Kin		Tyre size	205/65 R16 or more		
				Kerb weight	1547 Kg or more		The second second	Kerb weight	1528 Kg or more		
				Motor type	PMSM or more		Land Charles	Motor type	PMSM or more		
				Power	150 PS or more			Power	147 PS or more		
				Torque	280 NM or more			Torque	215 NM or more		
				Battery Capacity	39.5 Kwh or more			Battery Capacity	39.4 Kwh or more		
			de la	Range	450 km or more			Range	450 km or more		
				3.3 kW (0%- 100%) charging time	15 hours or less			3.3 kW (0%- 100%) charging time	18 hours or less		
				7.2 or 7.4 kW (0%-100%) charging time	8.5 hours or less			7.2 or 7.4 kW (0%-100%) charging time	8.5 hours or less		
				Boot space (litre)	378 liter or more			Boot space (litre)	378 liter or more		
				USB slots	2 slots or more		Land horse of both (* 11	USB slots	2 slots or more		
				Battery safety rating	IP67 or more			Battery safety rating	IP67 or more		
				Battery Pack and Motor Warranty	8 Year or more			Battery Pack and Motor Warranty	8 Year or more		
				Vehicle Warranty	3 Year or more			Vehicle Warranty	3 Year or more		

Sl. No.	RFB Section / Clause	Existi	ng Clause/ Reference	stelm its sittle	Marie III	To Be Read As				
1760	Taxon-in		distriction of the later of the	Ground 180 mm or more clearance (Unladen) Colour White 7.2 or 11.2 kW wall charger as applicable with minimum 2 year warranty				Ground 180 mm or more clearance (Unladen) Colour White		
		2	Wall Charger			2	Wall Charger	7.2 or 11.2 kW wall charger a applicable with minimum 2 yea warranty		
		3	3 Mud flaps As suitable for the vehicle				Mud flaps	As suitable for the vehicle		
		4 Floor mats		As suitable for	the vehicle	4	Floor mats	As suitable for the vehicle		
		5	Road Tax	As required by	Motor Vehicle Law	5	Road Tax	As required by Motor Vehicle Law		
		6	Insurance for 1 year "Comprehensive" and 3 year third party/liability insurance	As required by	Motor Vehicle Law	6	Insurance for 1 year "Comprehensive" and 3 year third party/liability insurance	As required by Motor Vehicle Law		
		* The technical specifications and standards mentioned above are the minimum requirements.					* The technical specifications and standards mentioned above are the minimum requirements. ** Shall be ARAI Certified (P1+P2) Range			
3.	Corrigendum- II	1 A April (10 2025 of 15.00 hours 15.20 1 (ICT)					st date for submission/ope oril 09, 2025 at 15:00 hou Notice dated March 20, 2	ening of Request for Bid (RFB) proposal at 15:30 hour (IST), as mentioned in the 2025 extended upto May 05, 2025 vide at extended up to May 08, 2025 at 15:00		

Director (Projects), HPRIDCL, Nirman Bhawan, Nigam Vihar, Shimla-171002